

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

HF200 PeViCol

Product no.

F200

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Glue. For profesional use only.

Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

Nordcoll A/S Egeskovvej 12 DK-3490 Kvistgaard

tlf: +45 4913 9222 fax: +45 4913 8041 www.nordcoll.com

Contact person

Steen Karlsen

E-mail

info@nordcoll.com

SDS date

2016-05-13

SDS Version

2.0

1.4. Emergency telephone number

Use your national or local emergency number See section 4 "First aid measures"

SECTION 2: Hazards identification


▼2.1. Classification of the substance or mixture

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Repr. 1B; H360

See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)







Danger

Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye irritation. (H319) May cause respiratory irritation. (H335)

May damage fertility or the unborn child. (H360)

General

Obtain special instructions before use. (P201). Prevention

Wear protective gloves/protective clothing. (P280). Safety Use personal protective equipment as required. (P281).

statement(s) IF exposed or concerned: Get medical advice/attention. (P308+P313). Response

If eye irritation persists: Get medical advice/attention. (P337+P313).

Store in a well-ventilated place. Keep container tightly closed. (P403+P233). Storage

Disposal

Identity of the substances primarily responsible for the major health hazards

N-methyl-2-pyrrolidone

▼2.3. Other hazards

This product contains teratogenic substances, which can cause long-term damage to the human embryo. The product contains substances that can damage the reproductive system.

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Additional warnings

VOC

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: N-methyl-2-pyrrolidone

IDENTIFICATION NOS.: CAS-no: 872-50-4 EC-no: 212-828-1 REACH-no: 01-2119472430-46 Index-no: 606-021-00-7

CONTENT: 80-95%

CLP CLASSIFICATION: STOT SE 3, Skin Irrit. 2, Eye Irrit. 2, Repr. 1B

H315, H319, H335, H360

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

Other informations

Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 6,4272 - 9,6408Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 6,4272 - 9,6408

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Get the injured person into fresh air. Make sure there is always someone with the injured person. Prevent shock by keeping the injured person warm and calm. If the person stops breathing, give mouth-to-mouth resuscitation. If unconscious, roll the injured person onto side with the top leg bent at both knee and hip. Call an ambulance.

Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be



washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

VEve contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately and take this safety data sheet or the label from the material with you. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down so that no vomit runs back into the mouth and throat. Prevent shock by keeping the injured person warm and calm. Give mouth-to-mouth resuscitation if breathing stops. If unconscious, roll the injured person onto side with the top leg bent at both knee and hip. Call an ambulance.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Nitrogen oxides. Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours from waste material. Avoid direct contact with spilled substances.

▼ 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of a leakage to the surroundings, contact the local environmental authorities. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.



6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

▼7.1. Precautions for safe handling

Avoid static electricity. Protect electrical equipment in accordance with current norms. To divert static electricity during transmission, containers must be grounded and connected by wire with the receiving containers. Do not use spark-forming tools.

Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

▼ 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. A sign warning of toxic materials shall be affixed the room and cupboard containing the product(s).

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



N-methyl-2-pyrrolidone (EH40, 2011)

Long-term exposure limit (8-hour TWA reference period): 10 ppm | 40 mg/m3

Short-term exposure limit (15-minute reference period): 20 ppm | 80 mg/m3

Comments: sk (Sk = Can be absorbed through skin.)

VDNEL / PNEC

No data available

8.2. Exposure controls

Compliance with the stated exposure limits values should be checked on a regular basis.

General recommendations

Observe general occupational hygiene.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure limits

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

Appropriate technical measures

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not sufficient. Make sure that eyewash and emergency showers are clearly marked.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible collect spillage during work.

Individual protection measures, such as personal protective equipment





Generally

Use only CE marked protective equipment.

Respiratory Equipment

Recommended: A. Class 1 (low capacity). Brown

▼Skin protection

Use suitable protective clothing, which is of EN-approved type 6 and Category III.

▼Hand protection

Recommended: Polyvinyl alcohol (PVA). Breakthrough time: > 240 minutes (Class 5)

Eye protection

Use safety glasses with a side shield.

SECTION 9: Physical and chemical properties

▼9.1. Information on basic physical and chemical properties

Form Liquid
Colour Colourless
Odour Characteristic
pH No data available.
Viscosity No data available.

Density (g/cm3) 1,028

Phase changes

Melting point (°C)

Boiling point (°C)

Vapour pressure

No data available.

No data available.

▼ Data on fire and explosion hazards

Flashpoint (°C) 91

Ignition (°C)

Self ignition (°C)

Explosion limits (Vol %)

No data available.

No data available.

No data available.

Solubility

Solubility in water Insoluble

n-octanol/water coefficient No data available.

▼9.2. Other information

Solubility in fat (g/L) No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance Species Test Route of exposure Result

▼Skin corrosion/irritation

No data available.

Causes skin irritation.



Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

May damage fertility or the unborn child.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

VLong term effects

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders. Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

SECTION 12: Ecological information

12.1. Toxicity

Substance Species Test Test duration Result

No data available.

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

No data available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Waste

EWC code

08 04 02 00

Specific labelling

Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.



SECTION 14: Transport information

14.1 - 14.4

Not listed as dangerous goods under ADR and IMDG regulations.

ADR/RID

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard
class(es)
14.4. Packing group
Notes
Tunnel restriction code

VIMDG

UN-no.
Proper Shipping Name
Class
PG*
EmS
MP**
Hazardous constituent

VIATA/ICAO

UN-no.
Proper Shipping Name
Class
PG*

14.5. Environmental hazards

-

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. Only for industrial use. Pregnant and nursing women must not be exposed to the effects of this product. The risk, and possible technical precautions or design of the workplace to avoid such risk, must therefore be evaluated.

Demands for specific education

-

Additional information

Sources



According to EC-Regulation 1907/2006 (REACH)

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

Nο

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H315 - Causes skin irritation.

H319 - Causes serious eve irritation.

H335 - May cause respiratory irritation.

H360 - May damage fertility or the unborn child.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

AG

Date of last essential change (First cipher in SDS version) 2015-08-20

Date of last minor change (Last cipher in SDS version)

2015-08-20

ALPHAOMEGA. Licens nr.:3021486416, 6.1.4 www.chymeia.com